E-Mobility Design

Tool Suite & Expertise

May 2025





The range and technology of electric vehicles is evolving rapidly but is still limited compared to diesel vehicles. Vehicles' autonomy **must be carefully assessed** to ensure it **meets a route's energy demands:** factors such as **weather conditions**, **terrain**, and **traffic congestion** must also be considered.

Electric vehicles require **charging infrastructure**, which must be **planned** and **built**. This can include **charging stations** at depots or along roads, as well as electrical upgrades to accommodate **higher power** requirements of certain electric vehicles. Electric vehicles are generally more expensive than diesel vehicles at purchase. This means that the upfront cost of transitioning to an electric fleet can be significant. However, the lower operating costs of electric fleet (e.g., lower fuel and maintenance costs) can offset the upfront costs over time.



Solution: Optimal design using our modelling and simulation tools

- Find optimal location for depot
- Design optimal infrastructure sizing
- Design and test charging strategies
- Design and test depot management strategies
- Forecast your on-route energy using AI models
- Build your route schedule or timetable including battery range and energy consumption limitations
- Simulate operational scenarios, including maintenance or power failure
- Track and forecast your assets lifecycle
- Estimate your GHG emissions
- Optimize your total cost of ownership (TCO)
- Plan a seamless transition for your routes and assets





E-Mobility projects



Transportation Center in Mississauga (Ontario, Canada)



A suite of **design tools** to help our partners navigate through **e-mobility challenges** and **maximize benefits**





Assess Energy consumption



Define Electrified route schedule Electrified vehicle schedule

Electrified transport plan



Reduce Fleet, infrastructure & power demand



Our proven E-Mobility Design Suite ensures that your transition plan is...

COST EFFECTIVE

UP TO



of initial CAPEX investment

MINIMIZING DISRUPTION



Electrified operation plan & charging strategy fully tested



IMPROVING SUSTAINABILITY

UP TO



In power demand



Define on-route energy consumption according to exogenous variables





Heron

Python scripts

Automated scripts on AWS cloud infrastructure

Data acquisition from multiple sources

Access to live and historical data including traffic, climate conditions, vehicles, road network

Data cleaning and processing

Data pipelines, aggregators, and databases

Predictive energy model

High accuracy for known networks and vehicles

Medium accuracy for unknown networks and vehicles

Custom AI model development and training

Using additional client data such as ridership, GTFS, or drivers

Other operational benefits

Eco-driving analysis On-route consumption analysis



Build your block schedule integrating vehicle energy consumption & autonomy

	Wild Turkey	(beta)				Du							
		25	t_5378331_b_78180_tn_1	06:00:00	06:35:00	780017	2584566	21600	23700	2100	14200.914906	25.561646	8308
	8	26	t_5375192_b_78180_tn_1	06:00:00	06:29:00	780017	779361	21600	23340	1740	10523.018665	18.941433	597
	*								Rows per page	: <u>All</u>	▼ 1-866 of	866 <	;
	•												
	Гщ С					7				12		lin 	1e id 6 4
			Hillsborough			A	100		24		T		
Critor Levis						h	the					3	
Cartoro Ethology and a state of the state of					1	25	R	1		- Sector		14	- 9
Carboo						1	E -					-	
Carboro UV AV AU ALE						e to	43					-	
Camboro State Association			V		UV	E.	Xu	5					
Carrboro						(1	L					
			Carrboro			1		1000	URAL		ATENALE		
					-								

WildTurkey

Web application

Role-Based Access Control to projects

Simple & fact scheduling

Draft a scenario within 30 minutes to an hour

Electric vehicle considerations

Set energy consumption per trip Set battery autonomy per vehicle

Industry standard inputs

GTFS file CSV file

Phasing proof

Allow mixed fleet Allow on-route charging

Convenient exports

Enhanced GTFS CSV export



Model your depot and simulate operation & charging strategies



ess

Web application

Role-Based Access Control to projects.

Integrated physical constraints

Accurately model parking space and depot layout.

Integrated operation constraints

Vehicle parking strategies, Vehicle trip matching strategies, Vehicle charging strategies.

Minimize charging infrastructure

Test ratio: charger scenarios, Try various power capacities, Find the best CAPEX/reliability ratio.

Minimize power demand

Run peak shaving scenario, Integrate energy cost variation.

Simulate operation & validate charging strategy

Simulate daily operation, Run disruption scenarios, Export charging strategy pattern.



Our approach for E-Mobility studies





Define the technical characteristics expected from your equipment

Plan and simulate your daily operations



Optimize the fleet and equipment to operate at the lowest cost







Operational vision



Questions?

0

0 0 0

0

1 0

0

1 0

0.1

CARLOS HERNANDEZ

0

Project Manager, Electrification, Business Development

chernandez@systra.com

0

0

0 0 0

0

JOHANN BUREAU

0

0 0 0

0

n

10

00

0 1

010

000

0 1

00

110

000

000

10

1 7

0

0 0

0

0 0

0

0

0

0

0

in

000

0

0

0 0

0

0 0 0

Technical Director, Transit

jbureau@systra.com

0

0 0

0

SYS





contact.tess@systra.com

